



PRODUCT

CATALOGUE



TILES & STONE

FIXING SOLUTIONS



OUR BRANCHES NETWORK



BASE ADHESIVE





T1 - GREY
ECOPIX TILES
ADHESIVE (ETA)





T2 - GREY
UNIFIX TILES
ADHESIVE (UTA)





TILE GROUT
CEMENT BASED
JOINT FILLER





TILE GROUT

CEMENT BASED JOINT FILLER



DESCRIPTION

GC WATER RETENTION GROUT IS HIGH POLYMER-MODIFIED WATER RESISTANT, CEMENT BASED GROUT FOR INTERIOR & EXTERIOR, FLOOR & WALL JOINTS OF WIDTH. THIS GROUT DESIGNED FOR GROUTING GLAZED WALL TILES, PORCELAIN TILES, MOSAIC, VITRIFIED & FULLY VITRIFIED TILES, NATURAL AND ENGINEERED STONE JOINTS OF WIDTH 1MM – 3 MM.



FEATURES

- Good bond strength.
- Water resistant.
- For interior & exterior use.
- Suitable for joint width of 1 - 3 mm.
- Weather resistant.
- Colour fast.
- Easy application and clean up.
- Easy maintenance.
- Non-cracking & Non-shrink.
- Self-Cured.
- Low VOC - For healthy living.
- Thixotropic-non slum application.

COVERAGE PER KG IN SQ.MTR

LENGTH WIDTH THICKNESS	JOINTS SIZE				
	2 MM	3 MM	4 MM	5 MM	6 MM
200 X 200 X 6	5.49	3.79	2.81	2.3	2.11
200 X 300 X 8	5.21	3.52	2.67	2.13	1.78
300 X 600 X 10	5.49	3.69	2.81	2.23	1.89
450 X 450 X 10	6.21	4.13	3.19	2.52	2.09
600 X 600 X 10	8.28	5.51	4.13	3.29	2.81
800 X 800 X 10	11.08	7.61	5.51	4.51	3.65
1000 X 1000 X 10	14.24	9.04	7.09	5.49	4.71

PACKAGING UNITS

1 KG

COLOUR

MIX

COVERAGE

AS PER TILES SIZE

*COVERAGE WILL VARY DEPENDING ON SIZE OF TILE AND SUBSTRATE SMOOTHNESS AND EVENNESS.



TILE CLEANER
QUICK TILE &
CERAMIC CLEANER

